

Symposium Novel Functionality and Topology-Driven Phenomena in Ferroics and Correlated Electron Systems (SYCE)

jointly organized by
 the Dielectric Solids Division (DF),
 the Magnetism Division (MA),
 the Crystallography Division (KR),
 the Microprobes Division (MI),
 the Low Temperature Physics Division (TT), and
 the Thin Films Division (DS)

Stephan Krohns
 Universität Augsburg
 Universitätsstr. 1
 86159 Augsburg
 stephan.krohns@physik.uni-augsburg.de

Dennis Meier
 Norwegian University of Science and
 Technology
 Sem Sælandsvei 12
 7491 Trondheim, Norway
 dennis.meier@ntnu.no

Elisabeth Soergel
 Physikalisches Institut - Universität
 Bonn
 Nussallee 12
 53115 Bonn
 soergel@uni-bonn.de

Exotic states of matter and new functional properties arise due to the formation of topological structures in solid state systems. Prime examples are ferroic domain walls and skyrmions, which bear great potential as functional 2D materials for nanotechnology and information carriers in next-generation spintronics devices, respectively. The exploration of such topological structures and related functionality, however, is just beginning and their physics still fall into largely uncharted territory.

This symposium will explore the nature of emergent topological phenomena in condensed matter. Of special interest are the ways in which spin, charge, orbital and lattice degrees of freedom cooperate, compete and reconstruct when forming 1D and 2D nano-objects with non-trivial topology in ferroics and strongly correlated electron materials.

The symposium will provide a forum to discuss recent developments in first principles theory, synthesis and characterization; it will bring together scientists with complementary backgrounds in magnetism, dielectrics and multiferroics, thus unifying different communities with the aim of covering present challenges and identifying future key direction in functional topological materials.

Overview of Invited Talks and Sessions

(Lecture room HSZ 02)

Invited Talks

SYCE 1.1	Mon	15:00–15:30	HSZ 02	Ferroelectric domain walls: from conductors to insulators and back again — ●PETRO MAKSYMOVYCH
SYCE 1.2	Mon	15:30–16:00	HSZ 02	Zoology of skyrmions and the role of magnetic anisotropy in the stability of skyrmions — ●ISTVAN KEZSMARKI, SANDOR BORDACS, JONATHAN WHITE, VLADIMIR TSURKAN, ALOIS LOIDL, PETER MILDE, HIROYUKI NAKAMURA, ANDREY LEONOV
SYCE 1.3	Mon	16:00–16:30	HSZ 02	Magnetic imaging of topological phenomena in ferroic materials — ●WEIDA WU
SYCE 1.4	Mon	17:00–17:30	HSZ 02	Topological skyrmion textures in chiral magnets — ●MARKUS GARST
SYCE 1.5	Mon	17:30–18:00	HSZ 02	Learning through ferroelectric domain dynamics in solidstate synapses — SÖREN BOYN, GWENDAL LECERF, STÉPHANE FUSIL, SYLVAIN SAÏGHI, AGNÈS BARTHÉLÉMY, JULIE GROLLIER, VINCENT GARCIA, ●MANUEL BIBES

Sessions

SYCE 1.1–1.5	Mon	15:00–18:00	HSZ 02	Novel Functionality and Topology-Driven Phenomena in Ferroics and Correlated Electron Systems (DF with MA, KR, MI, TT and DS)
--------------	-----	-------------	--------	--

SYCE 1: Novel Functionality and Topology-Driven Phenomena in Ferroics and Correlated Electron Systems (DF with MA, KR, MI, TT and DS)

Time: Monday 15:00–18:00

Location: HSZ 02

Invited Talk SYCE 1.1 Mon 15:00 HSZ 02
Ferroelectric domain walls: from conductors to insulators and back again — ●PETRO MAKSYMOVYCH — Center for Nanophase Materials Sciences, Oak Ridge National Laboratory, Oak Ridge, USA

The root cause of uncertainty around conducting ferroelectric domain walls (DWs) is the contact problem, which may be intrinsic to the polarization topology and may not be resolved by doping ferroelectric films. We revealed how contact effects are responsible for apparent DW conductance in ultrathin BiFeO₃, wherein the DW electrostatically gates the interface, but is not itself a conductor. At the same time, we explored AC conductance of DWs to eliminate contact effects. DWs in both BiFeO₃ and Pb(Zr_{0.2}Ti_{0.8})O₃ revealed robust conductivity at 3 GHz with remarkably large values of 2–6 S/m. Using the Ginzburg-Landau-Devonshire model for ferroelectric semiconductor, the effect is traced to local charge of nominally straight DWs due to defect-induced roughening and/or an intrinsic flexoelectric effect. Microwave regime opens new opportunities for device integration and carrier-density and dielectric effects at DWs.

Support provided by U.S. Department of Energy, BES, Materials Science and Technology Division. Microscopy experiments performed at the Center for Nanophase Materials Sciences, a DOE Office of Science User Facility.

[1] R. K. Vasudevan, et al., and P. Maksymovych, submitted (2016)
 [2] A. Tselev, P. Yu, Y. Cao, L. R. Dedon, L. W. Martin, S. V. Kalinin, and P. Maksymovych, Nat. Comms., 7 (2016) 11630.

Invited Talk SYCE 1.2 Mon 15:30 HSZ 02
Zoology of skyrmions and the role of magnetic anisotropy in the stability of skyrmions — ●ISTVAN KEZSMARKI¹, SANDOR BORDACS¹, JONATHAN WHITE², VLADIMIR TSURKAN³, ALOIS LOIDL³, PETER MILDE⁴, HIROYUKI NAKAMURA⁵, and ANDREY LEONOV⁶ — ¹Budapest University of Technology and Economics, Budapest, Hungary — ²Paul Scherrer Institute, Villigen, Switzerland — ³University of Augsburg, Augsburg, Germany — ⁴Technical University of Dresden, Dresden, Germany — ⁵University of Kyoto, Kyoto, Japan — ⁶University of Hiroshima, Hiroshima, Japan

Skyrmions are nanometric magnetic objects with high stability owing to their topological structures. The internal spin pattern of skyrmions depends on the crystal symmetry of the host materials. While we know many chiral crystals hosting Bloch-type skyrmions, Néel-type skyrmions have only recently observed in polar compounds. On experimental basis, I am going to compare the main characteristics of the two types of skyrmions and discuss the effect of magnetic anisotropy on the thermal stability range of the corresponding Bloch- and Néel-type skyrmion lattices.

Invited Talk SYCE 1.3 Mon 16:00 HSZ 02
Magnetic imaging of topological phenomena in ferroic materials — ●WEIDA WU — Department of Physics and Astronomy, Rutgers University, Piscataway, NJ, 08854 USA

Topology is a pervasive concept in condensed matter physics. Topological phenomena such as vortices, Skyrmions and chiral edge states are mesoscopic textures that are crucial for the physical properties and functionalities. Thus, it is imperative to directly visualize these mesoscopic phenomena. In this talk, I will present our recent discovery of alternating uncompensated magnetic moments at Z₆ vortex domain walls in hexagonal manganites, which demonstrates the coupling be-

tween ferroelectric and antiferromagnetic orders. Furthermore, magnetoelectric response of the vortex domains were directly visualized by Magnetoelectric Force Microscopy (MeFM), a combination of MFM with in-situ modulating high electric fields. Our MeFM results reveal a giant enhancement of magnetoelectric response of a lattice mediated magnetoelectric effect near a spin-reorientation critical point.

This work is supported by US DOE under grant DE-SC0008147.

30 min. break

Invited Talk SYCE 1.4 Mon 17:00 HSZ 02
Topological skyrmion textures in chiral magnets — ●MARKUS GARST — Institut für Theoretische Physik, Technische Universität Dresden, Zellescher Weg 17, 01062 Dresden, Germany

A magnetization that spatially varies within a plane can be characterized by a topological skyrmion number specifying how often the magnetization vector covers the unit sphere. Magnetic skyrmion textures with such a non-trivial winding number are endowed with additional functionality as they efficiently couple to magnon- and itinerant spin currents allowing for novel spintronic applications. Such textures arise, in particular, in chiral magnets where the Dzyaloshinskii-Moriya interaction favours a spatially modulated magnetization. This stabilizes magnetic solitons that carry an integer skyrmion charge as well as regular arrangements thereof, i.e., skyrmion crystals. We demonstrate that defects of helimagnetic order can carry half-integer skyrmion numbers. In analogy to cholesteric liquid crystals, such defects can be interpreted as disclinations and dislocations that are instrumental for the magnetic relaxation process in these systems. We also show that an array of such defects might arise in topological domain walls of helimagnetic order permitting an efficient manipulation by spin currents.

Invited Talk SYCE 1.5 Mon 17:30 HSZ 02
Learning through ferroelectric domain dynamics in solidstate synapses — SÖREN BOYN¹, GWENDAL LECERF², STÉPHANE FUSIL¹, SYLVAIN SAÏGHÉ², AGNÈS BARTHÉLÉMY¹, JULIE GROLIER¹, VINCENT GARCIA¹, and ●MANUEL BIBES¹ — ¹Unité Mixte de Physique CNRS/Thales, Palaiseau FRANCE — ²IMS Laboratory, U. Bordeaux FRANCE

In the brain, learning is achieved through the ability of synapses to reconfigure the strength by which they connect two neurons. Artificial hardware with performances emulating those of biological systems require electronic nanosynapses endowed with such plasticity. Promising solid-state synapses are memristors, simple two-terminal nanodevices that can be finely tuned by voltage pulses. Their conductance evolves according to a learning rule called spike-timing-dependent plasticity, conjectured to underlie unsupervised learning in our brains. We will report on purely electronic ferroelectric synapses and show that spike timing-dependent plasticity can be harnessed and tuned from intrinsically inhomogeneous ferroelectric polarisation switching. Through combined scanning probe imaging and electrical transport experiments, we demonstrate that conductance variations in such BiFeO₃-based ferroelectric memristors can be accurately controlled and modelled by the nucleation-dominated electric-field switching of domains with different polarisations. Our results show that ferroelectric nanosynapses are able to learn in a reliable and predictable way, opening the way towards unsupervised learning in spiking neural networks.