

Symposium SAMOP Dissertation-Prize 2016 (SYAD)

jointly organized by all divisions of the section AMOP

Andreas Buchleitner

Physikalisches Institut der Albert-Ludwigs-Universität Freiburg

Hermann-Herder-Str. 3

79104 Freiburg i.Br.

a.buchleitner@physik.uni-freiburg.de

The divisions of the section AMOP award a PhD prize 2016. The prize acknowledges outstanding research from a PhD work, and its excellent written and oral presentation. Eligible for nomination were outstanding PhD theses from the research fields of AMOP completed in 2014 or 2015. Based on the nominations, a jury formed by representatives of the AMOP research units and of jDPG has selected four finalists for the award. The finalists are invited to present their research in this symposium. The awardee will be selected from the finalists after the symposium by the prize committee. The committee members in 2016 are Dieter Bauer (Rostock) from the Atomic Physics Division (A), Andreas Görtler (Schwabmünchen) for the Short Time-scale Physics Division (K), Gereon Niedner-Schatteburg (Kaiserslautern) for the Molecular Physics Division (MO), Robin Golser (Wien) for the Mass Spectrometry Division (MS), Navid Mahdizadeh (Zürich) for the Plasma Physics Division (P), Vahid Sandoghdar (Erlangen) for the Quantum Optics and Photonics Division (Q), Andreas Hartmann (Hannover) as a representative of the Young DPG, and Andreas Buchleitner (Freiburg) as Chairman of the section AMOP.

Overview of Invited Talks and Sessions

(Lecture room e415)

Invited Talks

SYAD 1.1	Tue	11:00–11:30	e415	Artificial gauge fields and topology with ultracold atoms in optical lattices — ●MONIKA AIDELSBURGER
SYAD 1.2	Tue	11:30–12:00	e415	Many-body physics with impurities in ultracold quantum gases — ●FABIAN GRUSDT
SYAD 1.3	Tue	12:00–12:30	e415	How to determine the handedness of single molecules — ●MARTIN PITZER
SYAD 1.4	Tue	12:30–13:00	e415	Quantum systems under gravitational time dilation — ●MAGDALENA ZYCH

Sessions

SYAD 1.1–1.4	Tue	11:00–13:00	e415	SAMOP Dissertation-Prize
--------------	-----	-------------	------	---------------------------------

SYAD 1: SAMOP Dissertation-Prize

Time: Tuesday 11:00–13:00

Location: e415

Invited Talk SYAD 1.1 Tue 11:00 e415
Artificial gauge fields and topology with ultracold atoms in optical lattices — ●MONIKA AIDELSBURGER — Ludwig-Maximilians-University Munich — Max-Planck-Institute of Quantum Optics, Garching

Many intriguing condensed matter phenomena such as the integer and fractional quantum Hall effect arise due to the non-trivial topological properties of the underlying system. Synthetic materials that consist of ultracold neutral atoms confined in crystal-like structures using laser beams have the potential to simulate and address the complex questions that arise in this context. In this talk I report on the experimental realization of extremely strong artificial magnetic fields based on laser-assisted tunneling which give rise to topological energy bands. Their properties are characterized by topological invariants - the Chern numbers - which are at the origin of the integer quantum Hall effect. In particular we were able to realize the Hofstadter model for an effective flux $1/4$ and determined the Chern number of the lowest energy band through a direct measurement of bulk topological currents. These experimental results pave the way for future studies of interacting topological systems with ultracold atoms in optical lattices.

Invited Talk SYAD 1.2 Tue 11:30 e415
Many-body physics with impurities in ultracold quantum gases — ●FABIAN GRUSDT — Department of Physics and research center OPTIMAS, University of Kaiserslautern, Germany — Graduate School Materials Science in Mainz, Kaiserslautern, Germany — Department of Physics, Harvard University, Cambridge, MA 02138, USA

The properties of a many-body system can differ vastly from those of its individual constituents, for example the quantum numbers which are integer quantized without interactions can become fractionalized. In this talk I consider mobile impurity atoms interacting with the elementary excitations of different many-body systems. On the one hand they can serve as a coherent probe of the elementary excitations. In this context I will present a measurement scheme for fractional topological invariants of quantum Hall systems, which also has possible applications for building a robust topological quantum computer. On the other hand, the impurity can induce strong interactions between elementary excitations and create a correlated many-body system on its own. This happens, for example, for an impurity atom immersed in a Bose-Einstein condensate, where a new quasiparticle - the polaron - is formed. I developed a theoretical approach which provides an efficient description of polarons valid at arbitrary coupling strength and thus solves a long-standing problem of polaron physics.

Invited Talk SYAD 1.3 Tue 12:00 e415
How to determine the handedness of single molecules — ●MARTIN PITZER — Institut für Kernphysik, Goethe-Universität

Frankfurt — Experimentalphysik IV, Universität Kassel

Chiral molecules, i.e. molecules that occur like our hands in two mirror image structures, play an important role in biological processes. A variety of techniques is routinely performed for the distinction and separation of the two so-called enantiomers. These techniques, however, probe macroscopic sample properties, and the direct determination of the molecules' microscopic configuration has so far only been possible by using anomalous X-ray diffraction of crystallized samples.

We demonstrated that a COLTRIMS (Cold Target Recoil Ion Momentum Spectroscopy) setup in combination with a femtosecond laser allows to unambiguously determine the absolute configuration of individual molecules in the gas phase. Our approach relies on the concept of Coulomb Explosion Imaging: After multiple ionization of the molecule, the positively charged atomic cores repel each other and their momentum vectors retain information on the handedness of the molecule. For racemic samples (i.e. 1:1 mixtures of enantiomers) of the chiral prototype CHBrClF and of several isotopically chiral analogues, a clear distinction of enantiomers could be shown. In a second step, we compared the ionization by femtosecond laser pulses to the interaction of the molecules with synchrotron radiation and additionally investigated the photoelectron properties. These results highlight the challenges and chances on the way to application in chemical analysis and to a deeper understanding of molecular chirality.

Invited Talk SYAD 1.4 Tue 12:30 e415
Quantum systems under gravitational time dilation — ●MAGDALENA ZYCH — ARC Centre for Engineered Quantum Systems (EQuS), University of Queensland, Australia

Despite continuous development, modern physics still rests on two separate frameworks, quantum mechanics and general relativity. The notion of time is considered to be central for understanding the regime where the two theories jointly apply. This talk will introduce an operational approach to proper time in quantum theory by considering composed quantum systems – quantum “clocks” – in general space-time background. The approach describes new quantum effects arising from time dilation in interference experiments with “clocks” (e.g. atoms, molecules) that follow in superposition paths with different proper times. For macroscopic systems these effects lead to an effective decoherence, showing that time dilation might be relevant for the quantum-to-classical transition. The approach further leads to a quantum formulation of the Einstein Equivalence Principle and shows that testing its validity requires conceptually different experiments than in the classical case. Finally, the approach naturally extends to scenarios in which quantum “clocks” are embedded in a non-classical space time, e.g. resulting from a spatial superposition of a large mass. Quantum theory and general relativity provide an unambiguous description of such scenarios and no inconsistencies arise – in contrast to a common assumption that such a description is not possible even in principle.